

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5267333".pn.	USPAT; DERWENT	OR	ON	2005/03/19 14:19
L2	2	1 and ratio	USPAT; DERWENT	OR	ON	2005/03/19 14:20
L3	1	2 and irreversible	USPAT; DERWENT	OR	ON	2005/03/19 14:22
L4	2	2 and compressing	USPAT; DERWENT	OR	ON	2005/03/19 14:23
L5	51	ratio with chang\$4 with irreversible	USPAT; DERWENT	OR	ON	2005/03/19 14:25
L6	0	5 and (storage adj control\$4)	USPAT; DERWENT	OR	ON	2005/03/19 14:24
L7	2	5 and (stor\$4 adj control\$4)	USPAT; DERWENT	OR	ON	2005/03/19 14:24
L8	1	(compression near ratio) with chang\$4 with irreversible	USPAT; DERWENT	OR	ON	2005/03/19 14:31
L9	26	(compression near ratio) with irreversible	USPAT; DERWENT	OR	ON	2005/03/19 14:31
L10	0	9 with (stor\$4 near control\$4)	USPAT; DERWENT	OR	ON	2005/03/19 14:32
L11	3	9 and (stor\$4 near control\$4)	USPAT; DERWENT	OR	ON	2005/03/19 14:32

	U	1	Document ID	Issue Date	Page s	Title
1			US 6690417 B1	20040210	44	Image processing method, an image processing apparatus, an image input device, a photographing device, a photographing system, a communication device, a communication system, and a storage medium
2			US 6028961 A	20000222	87	Image processing method and apparatus
3			US 5761345 A	19980602	25	Image processing apparatus suitable for multistage compression

	Current OR	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3
1	348/231.1	348/222.1 ; 455/556.1 ; 455/557; 711/170		Yoshida; Shigeo et al.	X				
2	382/239	375/240.0 5		Shimomura; Yukari	X				
3	382/246	341/67; 348/419.1 ; 382/239		Saito; Kazuhiro et al.	X				

	4	5	Image Doc. Displayed	PT
1			US 6690417	
2			US 6028961	
3			US 5761345	